

# WOODARD, EMHARDT, MORIARTY, MCNETT & HENRY LLP

JACK V. MORIARTY  
JOHN C. MCNETT  
THOMAS O. HENRY  
JAMES M. DURLACHER  
CHARLES R. REEVES  
VINCENT O. WAGNER  
SPIRO BEREVESKOS  
DANIEL J. LUEDERS  
KENNETH A. GANDY  
TIMOTHY N. THOMAS

KURT N. JONES  
HOLIDAY W. BANTA  
TROY J. COLE  
CHARLES J. MEYER  
LISA A. HIDAY  
CHRISTOPHER A. BROWN  
CHARLES P. SCHMAL  
JOHN M. BRADSHAW  
QUENTIN G. CANTRELL  
DOUGLAS G. GALLAGHER

PATENT AND TRADEMARK ATTORNEYS  
FOUNDED 1879  
111 MONUMENT CIRCLE, SUITE 3700  
INDIANAPOLIS, INDIANA 46204-5137  
(317) 634-3456  
FAX (317) 637-7561  
www.uspatent.com

MARTA L. PAUL  
ELIZABETH A. SHUSTER  
TIMOTHY B. PAUL  
KRISTOPHER T. LYNCH  
WILLIAM A. MCKENNA  
JAMES R. BLAUFUSS  
EDWARD A. COURTNEY III  
BOBAK P. JALAIE

C. DAVID EMHARDT  
JOSEPH A. NAUGHTON  
STEVE ZLATOS  
OF COUNSEL  
HAROLD R. WOODARD  
(1911-2003)

April 14, 2010

Assistant Commissioner of Patents  
U.S. Patent and Trademark Office  
P. O. Box 1450  
Alexandria, VA 22313-1450  
ATTN: Decision and Certificate of Correction  
Branch of the Patent Issue Division

Re: Request for Certificate of Correction of Patent (37 CFR § 1.322)  
U.S. Patent No. 6,979,913  
Issued December 27, 2005  
VEHICLE MOUNTED ELECTRICAL GENERATOR SYSTEM  
Application Serial No. 10/783,266  
Filed February 20, 2004  
Our Ref.: 008022-000120

Dear Sir:

A Certificate of Correction for the above-identified patent is respectfully requested to correct an error of a clerical or typographical nature or of minor character which appears in the patent as issued.

In particular, claim 10 of the '913 patent is incomplete inasmuch as pending claim 21, as presented in the Preliminary Amendment dated February 22, 2005, included the following language "generator is maintained substantially constant irrespective of variations on electrical loads applied to said AC electrical generator". This omitted language appears on page 6 of the February 22, 2005 Preliminary Amendment, at lines 1 and 2. A copy of the February 22, 2005 Preliminary Amendment is enclosed for your reference.

In the Examiner's Amendment which accompanied the Notice of Allowance dated September 8, 2005, the Examiner did not make any amendments to pending claim 21 which became issued claim 10.

The exact location where the error occurs and the necessary correction is indicated on the attached form PTO/SB/44 (10-96), which form, as prepared, is suitable for printing. It is believed that the error was made on the part of the Patent and Trademark Office. Therefore, we are not enclosing a remittance fee. However, if any fees are required in order to complete the Certificate of Correction, please charge them to Deposit Account No. 23-3030.

Assistant Commissioner of Patents

April 14, 2010

Page 2

Please send the Certificate of Correction to Woodard, Emhardt, Moriarty, McNett & Henry, LLP, 111 Monument Circle, Suite 3700, Indianapolis, Indiana 46204.

Respectfully submitted,

By James M. Durlacher  
James M. Durlacher, Reg. No. 28,840  
Woodard, Emhardt, Moriarty, McNett & Henry LLP

8022-120:JMD:#669314:ss  
Enclosures

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of:

John M. STORM, et al.

Serial No. 10/783266

Filed February 20, 2004

VEHICLE MOUNTED  
ELECTRICAL GENERATOR  
SYSTEM

)  
) Before the Examiner  
) Unknown  
)  
) Group Art Unit  
) Unknown  
)  
) February 22, 2005  
)  
)  
)

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to the Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450 on

February 22, 2005

(Date of Deposit)

Sue Montgomery

Name of Person Mailing Paper or Fee

*Sue Montgomery*  
Signature

February 22, 2005

Date of Signature

PRELIMINARY AMENDMENT

Commissioner for Patents  
P. O. Box 1450  
Alexandria, VA 22313-1450

Sir:

As a Preliminary Amendment to the above-identified application, please enter the following. Please charge any fee deficiency or credit any overpayment to Deposit Account No. 23-3030, but not to include any payment of issue fees.

**COPY**

## IN THE CLAIMS

1. (Currently Amended) A vehicle mounted AC electrical generator system, said vehicle including a prime mover and a compartment for said prime mover, said AC electrical generator system comprising:

an AC electrical generator substantially positioned outside said prime mover compartment and having a mechanical power input connection for driving said AC electrical generator to produce electricity, and

a rotatable connection between said power take-off output and extending to a point adjacent said AC electrical generator, and for device-receiving mechanical power from said prime mover and transferring said mechanical power to said AC electrical generator mechanical power input connection and-

a pair of pulleys and a belt for interconnecting said pulleys between said rotatable connection and the mechanical power input connection of said AC electrical generator, said device being connected to said AC electrical generator, said pulleys having diameters relative to one another to achieve said predetermined RPM ratio.

2. Apparatus as claimed in claim 1 wherein said prime mover has an auxiliary power output providing said mechanical power to said transfer device.

3. Apparatus as claimed in claim 2 wherein said auxiliary power device comprises a power take-off output providing a rotatable input.

4. ~~(Cancelled)~~Apparatus as claimed in claim 3 wherein said transfer device comprises a rotatable connection between said power take-off output and extending to a point adjacent said AC electrical generator, and

a device for providing a predetermined RPM ratio between said rotatable connection and the mechanical power input connection of said AC electrical generator, said device being connected to said AC electrical generator.

5. ~~(Cancelled)~~Apparatus as claimed in claim 4 wherein said RPM ratio device comprises a pair of pulleys having diameters relative to one another to achieve said predetermined RPM ratio and a belt interconnecting said pulleys.

6. Apparatus as claimed in claim ~~5~~1 wherein said belt comprises a toothed belt interconnecting said pulleys.

7. Apparatus as claimed in claim ~~4~~1 wherein said rotatable connection comprises a shaft having a universal joint at the output of said power take-off output and another universal joint adjacent to said AC electrical generator.

8. Apparatus as claimed in claim 3 wherein said power take-off output is selectively connectable to said prime mover.

9. Apparatus as claimed in claim 8 wherein said system further comprises a solenoid for selectively engaging and disengaging said power take-off unit.

10. Apparatus as claimed in claim 1 wherein:

said vehicle has a chassis incorporating generally parallel frame rails,

said apparatus further comprises a device to mount said AC electrical generator between said frame rails.

11. Apparatus as claimed in claim 10 wherein said mounting device comprises clamps for clamping said AC electrical generator to at least one of said frame rails.

12. A vehicle mounted AC electrical generator system, said vehicle including a prime mover controlled by a control system to a predetermined RPM, said AC electrical generator system comprising:

an AC electrical generator positioned in said vehicle and having a mechanical power input connection for driving said AC electrical generator to produce electricity,

a device receiving mechanical power from said prime mover and transferring said mechanical power to said AC electrical generator mechanical power input connection, said mechanical power device incorporating a fixed RPM ratio to match the RPM of the prime mover to the operational RPM of said AC electrical generator.

13. Apparatus as claimed in claim 12 wherein said mechanical power device incorporates a step up RPM ratio to increase the RPM from said prime mover to said AC electrical generator.

14. Apparatus as claimed in claim 13 wherein said prime mover operates at a preselected RPM and over a variable operational RPM range as dictated by said control system, and

wherein said prime mover operates the transfer device when said prime mover is at said preselected RPM.

15. Apparatus as claimed in claim 12 wherein the control system for said prime mover has an electronic control module.
16. Apparatus as claimed in claim 12 wherein said prime mover has an auxiliary power output and said transfer device connects between said auxiliary power output and the mechanical power input connection of said AC electrical generator.
17. Apparatus as claimed in claim 16 wherein said transfer device comprises:  
a connection between the rotary output of said auxiliary power output and a point adjacent said AC electrical generator,  
and a means for establishing a predetermined RPM ratio between said rotatable output connection and the input connection of said AC electrical generator.
18. Apparatus as claimed in claim 17 wherein said RPM ratio device increases the RPM between said auxiliary power takeoff output and said AC electrical generator.
19. Apparatus as claimed in claim 17 wherein said AC generator operates at 3600 RPM during operation.
20. Apparatus as claimed in claim 17 wherein said AC generator operates at 3,000 RPM during operation.
21. Apparatus as claimed in claim 15 wherein said electronic control system supplies fuel to said prime mover at a rate and condition to vary the power output of said prime mover, whereby said operational RPM of said AC electrical

generator is maintained substantially constant irrespective of variations on electrical loads applied to said AC electrical generator.

22. A vehicle mounted AC electrical generator system, said vehicle including a prime mover controlled by a control system, said AC electrical generator system, comprising:

an AC electrical generator positioned in said vehicle and having a mechanical power input connection for driving said AC electrical generator to produce electricity,

a device releasably engageable to receive mechanical power from said prime mover and transfer said mechanical power to said AC electrical generator mechanical power input connection,

a device operable to engage and disengage said mechanical power transfer device from said prime mover, said engaging and disengaging device being interconnected with the control system for said prime mover to control engagement of said AC electrical generator dependent upon inputs from said control system.

23. Apparatus as claimed in claim 22 wherein said releasably engageable device comprises a power takeoff output shaft having a mechanism for releasably engaging said transfer device.

24. Apparatus as claimed in claim 23 wherein:

said power takeoff output shaft has a driven gear,

said prime mover has a driving gear providing a rotatable output from said prime mover and displaceable into and out of engagement with said power output



shaft driven gear, and

said system has a device for displacing said driving gear into and out of engagement with said driven gear.

25. Apparatus as claimed in claim 24 wherein said device for displacing said driving gear is a solenoid receiving an electrical input.

26. Apparatus as claimed in claim 25 wherein said solenoid valve biases said driving gear to a disengaged position in the absence of an electrical signal and to an engaged position in the presence of an electrical signal.

27. Apparatus as claimed in claim 26 wherein said system further comprises a device interconnecting said solenoid valve to said prime mover control system for the purpose of said power takeoff output in the event certain operating parameters are detected.

28. (Currently Amended) Apparatus as claimed in claim 22 wherein said mechanical power transfer device comprises a hydraulic drive providing a rotatable output to ~~engaging and disengaging device is interconnected with the control system for said prime mover to control engagement of said AC electrical generator dependent upon inputs from said control system.~~

29. Apparatus as claimed in claim 22 wherein said engaging and disengaging device transfers mechanical power to said AC electrical generator when certain operating parameters exist.

30. Apparatus as claimed in claim 22 wherein said vehicle has a further control system for controlling vehicle parameters and wherein said engaging and

disengaging device is also responsive to vehicle control parameters to transfer mechanical power to said AC electrical generator.

31. Apparatus as claimed in claim 30 wherein said prime mover has an engine control module, and a transmission control module and wherein said engaging and disengaging device is responsive to electrical control signals, said AC electrical generator system comprising a relay device receiving inputs from said engine control module and said transmission control module for enabling operation of said AC electrical generator when certain control parameters exist in said engine control module and said transmission control module.

32. Apparatus as claimed in claim 22~~8~~ wherein said engaging and disengaging device disconnects said mechanical power to said AC generator when certain operating parameters are present.

33. Apparatus as claimed in claim 32 wherein said AC generating system has an output box for providing electrical load connection to said AC generator and wherein the operating parameter is temperature above a given level.

34. Apparatus as claimed in claim 33 further comprising an emergency operation switch to disengage the AC generator from said prime mover.

35. (Cancelled) A vehicle mounted AC electrical generator system, said vehicle including a prime mover and a compartment for said prime mover, said AC electrical generator system comprising

an AC electrical generator positioned outside said prime mover compartment and having a mechanical power input means for driving said AC electrical generator to produce electricity, and

means for receiving mechanical power from said prime mover and transferring said mechanical power to said AC electrical generator mechanical power input means.

36. (Cancelled) Apparatus as claimed in claim 35 wherein said vehicle has an aft load carrying section, and wherein:

said AC electrical generator is mounted adjacent said load carrying section, and

said apparatus further comprises an electrical outlet box positioned in said load carrying section.

37. (Cancelled) Apparatus as claimed in claim 36 wherein said outlet box has a waterproof cover.

38. (Cancelled) Apparatus as claimed in claim 36 wherein said load-carrying section has a bed and sidewalls, said outlet box being mounted to one of said sidewalls.

39. (Cancelled) Apparatus as claimed in claim 38 further comprising an electrical cable extending from said generator to said outlet box, at least a portion of said cable extending along the inside of one of said frame rails.

40. A method of adding an AC electrical generator operating at a predetermined RPM to a vehicle having a support frame and powered by a prime mover located in a prime mover compartment, said prime mover providing a rotary output and having an operating condition during which said prime mover operates at a preselected RPM, said method comprising the steps of:

mounting said AC electrical generator outside said prime mover

compartment, and in an available location in said support frame,

providing a mechanical connection between said prime mover and said AC electrical generator; and

providing a predetermined RPM ratio in said mechanical connection so that said AC electrical generator operates at said predetermined RPM when said prime mover operates at said preselected RPM.

41. (Cancelled) A method as claimed in claim 40 wherein said AC electrical generator operates at a predetermined RPM and said prime mover provides rotary output and has an operating condition during which said prime mover operates at a preselected RPM, and wherein said method further comprises the steps of providing predetermined RPM ratio in said mechanical connection so that said AC electrical generator operates at said predetermined RPM when said prime mover operates at said preselected RPM.

42. A method as claimed in claim 40 wherein said vehicle has a control system and wherein said mechanical connection is engageable and disengageable, said method further comprising the step of integrating the operation of said AC generator with the control system of said vehicle.

43. (Currently Amended) Apparatus as claimed in claim 12 wherein said mechanical power transfer device comprises a hydraulic drive providing a rotatable output to said AC generator ~~and said hydraulic drive.~~

44. (Cancelled) Apparatus as claimed in claim 43 wherein said prime mover operates at a preselected RPM and said AC generator operates at a predetermined RPM, and

control device for providing a predetermined RPM ratio between said prime mover and the mechanical power input connection of said AC electrical generator.


45. (Currently Amended) Apparatus as claimed in claim 44~~28~~ wherein said vehicle and prime mover operate over a range of RPMs and wherein said system further comprises:

~~said a~~ control device ~~provides~~ providing a variable RPM ratio to said hydraulic drive, and

~~wherein said system further comprises~~ a device for sensing prime mover RPM and hydraulic drive output RPM and operating said control device to maintain said predetermined AC generator RPM irrespective of said prime mover RPM.

Respectfully submitted,

By

  
\_\_\_\_\_  
Gary M. Gron, Reg. No. 24,293  
Woodard, Emhardt, Moriarty,  
McNett & Henry LLP  
Bank One Center/Tower  
111 Monument Circle, Suite 3700  
Indianapolis, Indiana 46204-5137  
(317) 634-3456